



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,232	11/14/2003	Arne W. Ballantine	PUG.0083CIUS (792c)	2447
21906	7590	06/15/2007		
TROP PRUNER & HU, PC 1616 S. VOSS ROAD, SUITE 750 HOUSTON, TX 77057-2631			EXAMINER ALEJANDRO, RAYMOND	
			ART UNIT 1745	PAPER NUMBER
			MAIL DATE 06/15/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/714,232	<b>Applicant(s)</b> BALLANTINE ET AL.	
	<b>Examiner</b> Raymond Alejandro	<b>Art Unit</b> 1745	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 17 May 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 50-58 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 50-58 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05/17/07 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Response to Amendment***

This action fully responds to the amendment filed by the applicant on 05/17/07. The applicant has overcome the objections, the double patenting rejection and most of the 35 USC 112 rejections. Refer to the abovementioned amendment for more details on applicant's rebuttal arguments and remarks. However, the present claims are finally rejected over the same art as set forth hereinbelow and for the reasons of record:

### ***Drawings***

1. Annotated and replacement drawings were received on 05/17/07. These drawings are acceptable.

### ***Specification***

2. The disclosure is still objected to because of the following informalities: the status of the parent application (whether abandoned or patented/patent#) must be updated. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 50-58 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not

Art Unit: 1745

described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The added material which is not supported by the original disclosure is as follows: (Claim 50) *“heat being thermally coupled to a device capable of generating a heat demand signal indicative of more heat being needed from the fuel cell”*. The foregoing limitation lacks supportive basis in the as-filed disclosure. Nowhere in Applicant’s specification does it support such a limitation. At best, paragraph 0073 mentions that *“where the temperature sensor 422 indicates heat is needed to bring the temperature of the tank 408 to a desired level, the pump 418 can be turned on to transfer heat from the heat exchanger 410 to the tank 408”*. Additionally, paragraphs 0076, 0085, 0090 discuss heat-related features/systems in general but no specific reference to the foregoing limitation is made therein. Applicant is required to cancel the new matter in the reply to this Office Action.

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claims 50-58 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

7. Claim 50 is rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential elements and structural cooperative relationships of elements, such omission amounting to a gap between the elements and the necessary structural connections. See MPEP § 2172.01. The omitted elements are: it is immediately uncertain how *“the heat”* is being

Art Unit: 1745

*“thermally coupled to a device”* as heat is energy that causes a substance/element to rise in temperature; or is a condition marked by a notable degree of hotness. It is largely unclear how “heat” is coupled to an element. This language appears to be technically inaccurate and in error.

### ***Double Patenting***

8. The submission of the terminal disclaimer dated 05/17/07 has overcome the double patenting rejection. Such a submission is being processed and made of record.

### ***Claim Rejections - 35 USC § 102***

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

### ***Claim Rejections - 35 USC § 103***

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

11. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Art Unit: 1745

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

1. Claims 50-58 are rejected under 35 U.S.C. 102(a) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over the WO publication WO 01/15929 (heretofore the WO'929) (*for purposes of rejection, Yamada et al 6793027 is cited as it is an English equivalent of WO'929*).

As to claims 50-51:

Yamada et al disclose a hybrid system including a fuel cell (ABSTRACT). A hydrogen supplying device for supplying hydrogen for power generation is provided to the fuel cell unit 7a (COL 6, lines 11-25). Air (the oxidant) is supplied to the fuel cell (COL 9, lines 47-53). Using air and hydrogen, power generation is performed in the fuel cell (COL 9, lines 50-53).

A fuel cell controller 71 controls the fuel cell on the basis of the data from the controller 5; the fuel cell controller is provided with detection means for detecting the state of the fuel cell and comprise various temperature sensors S21 (*heat demand sensors*), a fuel cell voltage sensor S22 and a fuel cell current sensor S23 (COL 7, lines 44-55). Content of date includes information such as temperature, voltage, current, error information and capacity, and control information such as output request (COL 11, lines 57-67).

An electromotive force control is performed based on the data (signals) from sensors S21-S23 and the detected data on the operating conditions, the desired flow rate of each

Art Unit: 1745

switching valve is calculated by the fuel cell controller 71 based on the calculation results so as to adjust the quantity of hydrogen (COL 9, lines 29-45).

*(Emphasis added→)* Yamada et al disclose that communication data are sent from the controller 5 to the fuel cell controller 71 which controls the fuel cell 70 on the basis of the data from the controller 5; the fuel cell controller 71 is provided with detection means for detecting the state of the fuel cell 70; the detection means is comprised of various temperature sensors S21, a fuel cell voltage sensor S22 and a fuel cell current sensor S23; information from these sensors is stored in a memory in the fuel cell controller 71 to be entered in the vehicle controller 5 as required (COL 7, lines 44-53). Disclosed is that the fuel cell controller 71 is connected to the devices such as sensors, among others (COL 7, lines 65-68); and the fuel cell 70 is provided with temperature sensors; wherein the temperature of these components are controlled by the fuel cell battery controller 71 through temperature detection (COL 8, lines 1-5). Disclosed is that as a result of the flow control; the amount of hydrogen supplied to the fuel cell 70 can be regulated for electromotive force control (COL 9, lines 20-27); and the electromotive force control is performed as follows: required electromotive force is calculated by the controller 5 based on the data from sensors S21-S-23 and the detected data on the operating conditions from other various sensors; and the desired hydrogen flow rate of each valve is calculated by the controller 5 or the fuel cell controller 71 based on the calculation results (COL 9, lines 29-39). Further disclosed is that the electromotive force generation is a heat development reaction (COL 10, lines 1-3). *Thus, flow rate of hydrogen is responsive to the conditions sensed by temperature sensor S21 and voltage/current sensors S22-S23 (sensors for power generation). In addition, since the electromotive force generation is a heat development reaction, such a generated heat is sensed*

Art Unit: 1745

by the foregoing sensors, and is proportional to the heat needed from the fuel cell so that it is indicative of the current thermal state of the fuel cell.

As a result of flow control achieved, the amount of hydrogen supplied to the fuel cell can be regulated for electromotive force control, so that the electromotive force is controlled according to the amount of hydrogen supplied thereto (COL 9, lines 24-28). The output of the fuel cell is connected to the power regulating section for regulation purposes (COL 10, lines 43-47). *Thus, control of at least fuel flow is based on the heat generated by the fuel cell and the output of the fuel cell.*

Fuel cell unit 7 is determined to be abnormal when the detection value of any of the temperature sensor, fuel cell voltage sensor and fuel cell current sensor is excessively large or small beyond the range of normal detection values which are stored as detection data on abnormality in the memory of the fuel cell controller 71 (COL 12, lines 26-32).

**Examiner's note:** *as to the limitation "capable of", it is contended that this limitation does not distinguish over prior art because the recitation that an element/feature/member is "capable of" performing a function is not a positive limitation but only requires the ability to so perform. See Hoffer v. Microsoft Corp., 405 F.3d 1326, 1329, 74 USPQ2d 1481, 1483 (Fed. Cir. 2005) & Minton v. Nat 'l Ass 'n of Securities Dealers, Inc., 336 F.3d 1373, 1381, 67 USPQ2d 1614, 1620 and MPEP 2111.04.*

As to claims 52-58:

Yamada et al disclose that fuel cell unit 7 is determined to be abnormal when the detection value of any of the temperature sensor, fuel cell voltage sensor and fuel cell current sensor is excessively large or small beyond the range of normal detection values which are stored



Art Unit: 1745

as detection data on abnormality in the memory of the fuel cell controller 71 (COL 12, lines 26-32). An electromotive force control is performed based on the data (signals) from sensors S21-S23 and the detected data on the operating conditions, the desired flow rate of each switching valve is calculated by the fuel cell controller 71 based on the calculation results so as to adjust the quantity of hydrogen (COL 9, lines 29-45). As a result of flow control achieved, the amount of hydrogen supplied to the fuel cell can be regulated for electromotive force control, so that the electromotive force is controlled according to the amount of hydrogen supplied thereto (COL 9, lines 24-28). The output of the fuel cell is connected to the power regulating section for regulation purposes (COL 10, lines 43-47). *Thus, control of at least fuel flow is based on the heat generated by the fuel cell and the output of the fuel cell. In this case, it is noted that the controller of Yamada et al is capable of performing the claimed function based on the particular sensed conditions. Thus, the controller of Yamada et al inherently controls the fuel cell system as instantly claimed in claims 52-58. In other words, the examiner is asserting inherency based on the structural and functional similarities between the disclosed controller and applicant's controller. In re Schreiber, 128 F.3d 1473, 44 USPQ2d 1429 (Fed. Cir. 1997).*

**As per MPEP 2112 Requirements of Rejection Based on Inherency; Burden of Proof:**

“V. ONCE A REFERENCE TEACHING PRODUCT APPEARING TO BE SUBSTANTIALLY IDENTICAL IS MADE THE BASIS OF A REJECTION, AND THE EXAMINER PRESENTS EVIDENCE OR REASONING TENDING TO SHOW INHERENCY, THE BURDEN SHIFTS TO THE APPLICANT TO SHOW AN UNOBVIOUS DIFFERENCE”

“[T]he PTO can require an applicant to prove that the prior art products do not necessarily or inherently possess the characteristics of his [or her] claimed product. Whether the rejection is based on inherency’ under 35 U.S.C. 102, on prima facie obviousness’ under 35 U.S.C. 103, jointly or alternatively, the burden of proof is the

Art Unit: 1745

same...[footnote omitted].” The burden of proof is similar to that required with respect to product-by-process claims. *In re Fitzgerald*, 619 F.2d 67, 70, 205 USPQ 594, 596 (CCPA 1980) (quoting *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433-34 (CCPA 1977)).”

- The evidence or reasoning tending to show inherency is relied upon Yamada et al's disclosure that that fuel cell unit 7 is determined to be abnormal when the detection value of any of the temperature sensor, fuel cell voltage sensor and fuel cell current sensor is excessively large or small beyond the range of normal detection values which are stored as detection data on abnormality in the memory of the fuel cell controller 71 (COL 12, lines 26-32). This provides a reasonable basis to recognize that variations on temperature (heat), voltage (output) or current controls the fuel flow, and therefor the controller of Yamada et al is capable of performing the claimed function.


2. Claims 50-55 and 57-58 are rejected under 35 U.S.C. 102(a) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over the Japanese publication JP 04-284365 (herein called the JP'365).

As to claims 50-51:

Figure 1 of the JP'365 illustrates a fuel cell power generating device (TITLE/ FIGURE 1) including a fuel cell 7 respective oxidant supply 24 and fuel supply 18 (FIGURE 1) which are provided for power generation; and a controller 36 for controlling fuel cell operating parameters (FIGURE 1). Particularly, controller 36 controls flow rate control valve 29 in response to conditions sensed by both temperature sensor 6 (heat sensor) and a current detector 35 (power

Art Unit: 1745

demand sensor), and which is further adjusted according to a load current value of the fuel cell main body 7 (Abstract/Constitution).



As to claims 52-55 and 57-58:

Particularly, the JP'365 discloses that controller 36 controls flow rate control valve 29 in response to conditions sensed by both temperature sensor 6 (heat sensor) and a current detector 35 (power demand sensor), and which is further adjusted according to a load current value of the fuel cell main body 7 (Abstract/Constitution). *Thus, control of at least fuel flow is based on the sensed temperature and the measured current and the load current value of the fuel cell. In this case, it is noted that the controller of the JP'365 is capable of performing the claimed function based on the particular sensed conditions. Thus, the controller of the JP'365 inherently controls the fuel cell system as instantly claimed in claims 52-55 and 57-58. In other words, the examiner is asserting inherency based on the structural and functional similarities between the disclosed controller and applicant's controller. In re Schreiber, 128 F.3d 1473, 44 USPQ2d 1429 (Fed. Cir. 1997).*

**As per MPEP 2112 Requirements of Rejection Based on Inherency; Burden of Proof:**

Art Unit: 1745

“V. ONCE A REFERENCE TEACHING PRODUCT APPEARING TO BE SUBSTANTIALLY IDENTICAL IS MADE THE BASIS OF A REJECTION, AND THE EXAMINER PRESENTS EVIDENCE OR REASONING TENDING TO SHOW INHERENCY, THE BURDEN SHIFTS TO THE APPLICANT TO SHOW AN UNOBVIOUS DIFFERENCE”

“[T]he PTO can require an applicant to prove that the prior art products do not necessarily or inherently possess the characteristics of his [or her] claimed product. Whether the rejection is based on inherency’ under 35 U.S.C. 102, on prima facie obviousness’ under 35 U.S.C. 103, jointly or alternatively, the burden of proof is the same...[footnote omitted].” The burden of proof is similar to that required with respect to product-by-process claims. *In re Fitzgerald*, 619 F.2d 67, 70, 205 USPQ 594, 596 (CCPA 1980) (quoting *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433-34 (CCPA 1977)).”

- *The evidence or reasoning tending to show inherency is relied upon the JP’365’s teaching that controller 36 controls flow rate control valve 29 in response to conditions sensed by both temperature sensor 6 (heat sensor) and a current detector 35 (power demand sensor), and which is further adjusted according to a load current value of the fuel cell main body 7 (Abstract/Constitution). This provides a reasonable basis to recognize that variations on temperature (heat) and or current controls the fuel flow, and therefore the controller of the JP’365 is capable of performing the claimed function.*

### ***Response to Arguments***

12. Applicant's arguments filed 05/17/07 have been fully considered but they are not persuasive.

13. The gist of applicant’s contention is premised on the assertion that “there is no teaching or suggestion in the reference regarding a heat demand signal that is received from a device that

Art Unit: 1745

is thermally coupled to a fuel cell for purposes of indicating a heat demand” and “there is no teaching or suggestion in the reference regarding controlling either a fuel or an oxidant flow based on such a heat demand signal”. However, the examiner largely disagrees with applicant’s contention for the reasons below.

(**Emphasis added**→) Yamada et al disclose that communication data are sent from the controller 5 to the fuel cell controller 71 which controls the fuel cell 70 on the basis of the data from the controller 5; the fuel cell controller 71 is provided with detection means for detecting the state of the fuel cell 70; the detection means is comprised of various temperature sensors S21, a fuel cell voltage sensor S22 and a fuel cell current sensor S23; information from these sensors is stored in a memory in the fuel cell controller 71 to be entered in the vehicle controller 5 as required (COL 7, lines 44-53). Disclosed is that the fuel cell controller 71 is connected to the devices such as sensors, among others (COL 7, lines 65-68); and the fuel cell 70 is provided with temperature sensors; wherein the temperature of these components are controlled by the fuel cell controller 71 through temperature detection (COL 8, lines 1-5). Disclosed is that as a result of the flow control; the amount of hydrogen supplied to the fuel cell 70 can be regulated for electromotive force control (COL 9, lines 20-27); and the electromotive force control is performed as follows: required electromotive force is calculated by the controller 5 based on the data from sensors S21-S-23 and the detected data on the operating conditions from other various sensors; and the desired hydrogen flow rate of each valve is calculated by the controller 5 or the fuel cell controller 71 based on the calculation results (COL 9, lines 29-39). Further disclosed is that the electromotive force generation is a heat development reaction (COL 10, lines 1-3).

Art Unit: 1745

Thus, flow rate of hydrogen is responsive to the conditions sensed by temperature sensor S21 and voltage/current sensors S22-S23 (sensors for power generation). In addition, since the electromotive force generation is a heat development reaction, such a generated heat is sensed by the foregoing sensors, and is proportional to the heat needed from the fuel cell so that it is indicative of the current thermal state of the fuel cell.

14. Claims 50-55 and 57-58 stand rejected under Sections 102/103 over the JP'365 as applicant did not contest the teachings of such a reference. In this respect, applicant's arguments do not comply with 37 CFR 1.111(c) because they do not clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. Further, they do not show how the amendments avoid such references or objections.

15. The submission of the terminal disclaimer dated 05/17/07 has overcome the double patenting rejection. Such a submission is being processed and made of record.

### ***Conclusion***

16. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 1745

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond Alejandro whose telephone number is (571) 272-1282. The examiner can normally be reached on Monday-Thursday (8:00 am - 6:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Raymond Alejandro  
Primary Examiner  
Art Unit 1745

  
RAYMOND ALEJANDRO  
PRIMARY EXAMINER